

SDS-10344

Kit, SureLINK™ Biotin Labeling kit

Rev. Number: 1 Rev. Date: Dec 11, 2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product Description	n:		Product Code
KPL SureLINK™ Chromophoric Biotin Labeling Kit			5610-0027 (86-00-01)
			5620-0030 (86-00-03)
L			
Kit Components			Part Code
KPL Modification BU	FFER		5640-0011 (85-02-01)
KPL N <sub>1</sub> , N <sub>1</sub> , - Dimeth	ylformamide		5640-0008 (82-01-03)
KPL Spin-Pure Filter	S		5640-0001 (60-00-53)
KPL SureLINK™ Ch	romophoric Biotin		5620-0031 (86-01-02)
Recommended	Reagent		
Use: Contact Manufacturer:	SeraCare Life Sciences 910 Clopper Road Gaithersburg, MD 20878	Phone #:	(508) 244-6400 US Toll Free: (800) 676-1881
		Fax #:	(508) 634-3394
		Web:	www.seracare.com
		Email:	customerservice@seracare.com
Emergency Telepho	one Numbers:		
AUSTRALIA – POIS CENTER	ONS INFORMATION	Telephone:	13 11 26 - Hours: 24 hours
CANADIAN TRANSF CENTER	PORT EMERGENCY	Telephone:	(1) 613 996 6666 - Hours: 24 hours/day, 7 days/week
UK – THE NATIONA	AL FOCUS	Telephone:	(44) 029 2041 6388 - Hours: 09:00-17:00 GMT
USA - NATIONAL RESPONSE CENTER Telep		Telephone:	(1) 800 424 8802 - Hours: 24 hours/day, 7 days/week
CHEMTREC:	For Chemical Call CHEMTF	Emergency S EC Day or Nig	nber:- CCN12505* pill, Leak, Fire, Exposure, or Accident ght

Within USA and Canada: 1-800-424-9300 CCN12505 or

+1 703-527-3887 (collect calls accepted)

# sera care Safety Data Sheet

SDS-10293

KPL N<sub>1</sub>, N<sub>1</sub>, - Dimethylformamide SDS

Rev. Number: 4 Rev. Date: Oct 15, 2018

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Description:			Product Code
KPL N1, N1, - Dimethylformamide			5640-0008 (82-01-03)
Hazardous Reagent		Hazard	ous Reagent Product code
Product Description list	ed above	Catalog	No. listed above
Recommended Use:	Reference Reagent		
Contact Manufacturer:	SeraCare Life Sciences 910 Clopper Road Gaithersburg, MD 20878	Phone #:	(508) 244-6400 US Toll Free: (800) 676-1881
	Gaimersburg, MD 20076	Fax #:	(508) 634-3394
		Web:	www.seracare.com
		Email:	customerservice@seracare.com
Emergency Telephone	e Numbers:		
AUSTRALIA – POISONS INFORMATION CENTER		Telephone:	13 11 26 - Hours: 24 hours
CANADIAN TRANSPORT EMERGENCY CENTER		Telephone:	(1) 613 996 6666 - Hours: 24 hours/day, 7 days/week
UK – THE NATIONAL FOCUS		Telephone:	(44) 029 2041 6388 - Hours: 09:00-17:00 GMT
USA - NATIONAL RES	PONSE CENTER	Telephone:	(1) 800 424 8802 - Hours: 24 hours/day, 7 days/week

CHEMTREC: CHEMTREC Customer Number: - CCN12505\* For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 CCN12505 or +1 703-527-3887 (collect calls accepted) SDS-10293

Rev. Number: 4 Rev. Date: Oct 15, 2018

# 2. HAZARD IDENTIFICATION

Hazard Type	Health Hazard
	GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
GHS Classification	Flammable liquids (Category 3), H226
	Acute toxicity, Inhalation (Category 4), H332
	Acute toxicity, Dermal (Category 4), H312
	Eye irritation (Category 2A), H319
	Reproductive toxicity (Category 1B), H360
Hazard Statements:	H226 Flammable liquid and vapour.
	H312 + H332 Harmful in contact with skin or if inhaled
	H319 Causes serious eye irritation.
	H360 May damage fertility or the unborn child.
Precautionary Statements:	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions have been read and understood.
	P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
	P233 Keep container tightly closed.
	P240 Ground/bond container and receiving equipment.
	P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
	P242 Use only non-sparking tools.
	P243 Take precautionary measures against static discharge.
	P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
	P264 Wash skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P303 + P361 + P35 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P308 + P313 IF exposed or concerned: Get medical advice/ attention.
	P337 + P313 If eye irritation persists: Get medical advice/ attention.
	P363 Wash contaminated clothing before reuse.
	P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
	P403 + P235 Store in a well-ventilated place. Keep cool.
	P405 Store locked up.
	P50 Dispose of contents/ container to an approved waste disposal plant.

Rev. Number: 4

Rev. Date: Oct 15, 2018

Symbols and Indications of	GH
Danger:	сц

Hazards not otherwise classified or not covered by GHS: Rapidly absorbed through skin.

GHS02 GHS07

GHS08

Danger



Principle Route of Exposure:	The substance can be absorbed into the body by inhalation and through the skin.
Acute Effects: Eye	May cause redness and irritation
Acute Effects: Skin:	May be absorbed
Acute Effects: Inhalation:	Abdominal pain; Diarrhea; Nausea. Vomiting; Facial flushing
Inhalation Risk:	A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C.
Short-Term Exposure	The substance is irritating to the eyes. The substance may cause effects on the liver, resulting in jaundice.
Long-Term Exposure	The substance may have effects on the liver, resulting in impaired functions. Animal tests show that this substance possibly causes toxic effects upon human reproduction.
Ingestion:	Do not eat, drink, smoke when using this product.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CHEMICAL</u>	<u>% Weight</u>	<u>CAS #:</u>
N <sub>1</sub> , N <sub>1</sub> , - Dimethylformamide (DMF)	C <sub>3</sub> H <sub>7</sub> NO	100%	68-12-2
Classification	EC-No: 200-679-5		
	Index-No.:616-001-00-X		
	Flam. Liq. 3;		
	Acute Tox. 4;		
	Eye Irrit. 2A;		
	Repr. 1B;		
	H226, H312 + H332, H319, H360		

#### 4. FIRST AID MEASURES

General Advice:	Wash contaminated clothing before reuse. Seek medical attention if necessary.
Ingestion First Aid:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Inhalation Exposure:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician
Skin Exposure:	Remove contaminated clothes. Rinse and then wash skin with water and soap. Refer for medical attention

#### SDS-10293

	KPL `N <sub>1</sub> , N <sub>1</sub> , -	Page 4 of 10 Dimethylformamide SDS
SDS-10293	Rev. Number: 4	Rev. Date: Oct 15, 2018
Eye Exposure:	First rinse with plenty of water for several minutes (remove co possible), then take to a doctor.	ontact lenses if easily
	5. FIRE FIGHTING MEASURES	
Extinguishing media:	Use water spray, alcohol-resistant foam, dry chemical or carb	on dioxide.
Unusual Fire and Explosive Hazards:	Not Available	
Flash Point:	Closed cup: 58°C	
Auto ignition Temperature:	Not Available	
Flammability Statement:	Not Available	
Specific hazards arising from the chemical:	Not available	
Protective equipment and precautions for firefighters:	Wear self-contained breathing apparatus for firefighting if nec cool by spraying with water.	essary: keep drums, etc.,
	6. ACCIDENTAL RELEASE MEASURES	
Personal Precautions:	Use personal protective equipment. Avoid breathing vapors, n ventilation. Remove all sources of ignition. Evacuate personne vapors accumulating to form explosive concentrations. Vapors areas. For personal protection see section 8.	el to safe areas. Beware of
<b>Environmental Precautions:</b>	Prevent further leakage or spillage if safe to do so. Do not let	product enter drains.
Method of Containment and Clean-up	Contain spillage, and then collect with an electrically protected brushing and place in container for disposal according to local	
	7. HANDLING AND STORAGE	
Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or Keep away from sources of ignition - No smoking. Take meas of electrostatic charge.	
Storage:	Keep container tightly closed in a dry and well-ventilated plac opened must be carefully resealed and kept upright to preven Handle and store under inert gas. Storage class (TRGS 510): Flammable liquids	
	8. EXPOSURE CONTROL	
Respiratory Protection:	Where risk assessment shows air-purifying respirators are apprespirator with multi- purpose combination (US) or type ABEK cartridges as a backup to engineering controls.	
	If the respirator is the sole means of protection, use a full-face respirators and components tested and approved under approsimation standards such as NIOSH (US) or CEN (EU).	
Eye Protection:	Face shield and safety glasses Use equipment for eye protect under appropriate government standards such as NIOSH (US	

	KPL `N <sub>1</sub> , N <sub>1</sub> , -	Page 5 of 10 Dimethylformamide SDS
SDS-10293	Rev. Number: 4	Rev. Date: Oct 15, 2018
Skin Protection:	Handle with gloves. Gloves must be inspected prior to use. Us technique (without touching glove's outer surface) to avoid skir Dispose of contaminated gloves after use in accordance with a laboratory practices. Wash and dry hands.	n contact with this product.
	Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M Splash contact	1)
	Material: Nature latex/chloroprene Minimum layer thickness: 0. 65 min	.6 mm Break through time:
	Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M) D-36124 Eichenzell, phone +49 (0)6659 87300, test method: E	
	If used in solution, or mixed with other substances, and under EN 374, contact the supplier of the CE approved gloves. This is only and must be evaluated by an industrial hygienist and safe specific situation of anticipated use by our customers. It should offering an approval for any specific use scenario.	recommendation is advisory ty officer familiar with the
Ingestion:	Do not eat, drink, or smoke during handling.	
	9. PHYSICAL AND CHEMICAL PROPERTIES	
Appearance:	Form liquid: , clear;	
	Color: Colorless	
Physical State:	Liquid	
Odor:	Amine-like	
Odor Threshold:	Not Available	
pH:	6.0 – 7.0	
Boiling Point:	153°C	
Melting Point:	- 61°C	
Evaporation Rate:	Not Available	
Vapor Density:	2.52 (air = 1)	
Vapor Pressure:	3.60 hPa (2.70 mmHg) at 20°C (68°F)	
	5.16 hPa (3.87 mmHg) at 25°C (77°F)	
Relative Density:	0.944 g/mL	
Auto-Ignition Temperature:	Not available	
Water Solubility:	Completely miscible	
Flash Point:	58°C – closed cup	
Viscosity:	Not Available	

**Oxidizing Properties:** 

**Explosive Properties:** 

Not Available

Not Available

Page 6 of 10 KPL `N<sub>1</sub>, N<sub>1</sub>, - Dimethylformamide SDS

Rev. Number: 4 Rev. Date: Oct 15, 2018

#### SDS-10293

#### **10. STABILITY AND REACTIVITY**

Chemical Stability:	This material is stable under recommended storage conditions.
Conditions to avoid:	Avoid excess heat, sources of ignition and direct sunlight.
Incompatibility Materials to Avoid:	Strong Oxidizing agents
Hazardous Decomposition Products:	Hazardous decomposition products formed under fire conditions Carbon oxides, Nitrogen oxides (NOx)
Hazardous Polymerization:	Not Available
Possibility of hazardous reactions:	Not Available

**11. TOXICOLOGY MEASURES** 

#### **Acute Toxicity**

The toxicological risks are minor due to the low concentration of hazardous ingredients. The following toxicological information is for the hazardous ingredient in pure form.

LD50 Oral:	Rat - 2,800 mg/kg
LD50 Dermal:	Rabbit - 1,500 mg/kg
LC50 Inhalation:	4 h - 9 - 15 mg/L

#### **Chronic Toxicity**

Carcinogenicity:	This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.
Irritation:	An eye and skin irritant
Corrosivity:	No Data Available
Sensitization:	No Data Available
Neurological Effects:	No Data Available
Mutagenic Effects:	No Data Available
Reproductive Effects:	May cause congenital malformation in the fetus
Developmental Effects:	No Data Available
Target Organ Effects:	Eyes, Skin, and Respiratory Tract, Liver and Kidneys
Other adverse effects:	RTECS: LQ2100000
	Warning: intolerance for alcohol can occur up to 4 days after N,N-dimethylformamide exposure. N,N-dimethylformamide is considered to be a potent liver toxin., Vomiting, Diarrhea, Abdominal pain. The chemical, physical, and toxicological properties have not been thoroughly investigated.
	12. ECOLOGICAL MEASURES
Ecotoxicity: Toxicity to Fish	LC50 - Oncorhynchus mykiss (rainbow trout) - 9,000 - 13,000 mg/l - 96 h
	LC50 - Lepomis macrochirus (Bluegill) - 6,700 - 7,500 mg/l - 96 h
	LC50 - Pimephales promelas (fathead minnow) - 10,400 - 10,800 mg/l - 96 h
	LCE0 Opeortypetus myking (reintegy trout) 0,800 mg/L 06 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 9,800 mg/l - 96 h

	Page 7 of 1 KPL `N <sub>1</sub> , N <sub>1</sub> , - Dimethylformamide SD			
SDS-10293	Rev. Number: 4 Rev. Date: Oct 15, 20	)18		
	LC50 - Lepomis macrochirus (Bluegill) - 6,300 mg/l - 96 h			
	LC50 - Pimephales promelas (fathead minnow) - 10,600 mg/l - 96 h			
Ecotoxicity: Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 9,600 - 13,100 mg/l - 48 h			
	EC50 - Daphnia magna (Water flea) - 15,700 mg/l - 48 h			
Ecotoxicity: Algae	LC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 96 h			
Persistence/Degradability:	> 90% Readily biodegradable			
Mobility in Environmental Media:	Not Data Available			
Bioaccumulation/ Accumulation:	No Data Available			
13. DISPOSAL MEASURES				
Waste Disposal Method:	Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposa service to dispose of this material.			
Contaminated Packaging:	Dispose of in compliance with the respective national and local regulations.			
US EPA Waste Number:	Not Available			
14. TRANSPORTATION MEASURES				
DOT:	UN number: 2265, Class: 3 Packing group: III Proper shipping name: N,N-Dimethylformamide Reportable Quantity (RQ):100 lbs			
IATA:	UN number: 2265, Class: 3 Packing group: III Proper shipping name: N,N-Dimethylformamide			
ADR (road)/ RID (rail):	Not Available			
IMDG (sea):	UN number: 2265, Class: 3 Packing group: III Proper shipping name: N,N-Dimethylformamide			
General Transport Regulations	Data for 100% Dimethylformamide: UN-Number:2265 Shipping name: N,N-Dimethylformamide Hazard Identification Number: 30 Class: 3 (Flammable Liquids) Packing Group: III (low danger) Danger Label: 3			

# **15. REGULATORY MEASURES**

# This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

Rev. Number: 4 Rev. Date: Oct 15, 2018

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)

This product contains N,N-DIMETHYLFORMAMIDE which are subject to the reporting requirements of the Clean Air Act

#### **State Regulations**


California Proposition 65: This product contains the following Proposition 65 chemicals	This product contains the following Proposition 65 chemicals: N,N-Dimethylformamide. Type of Toxicity: Cancer. CAS no. 68-12-2. Listed: 27 Oct 2017
<u>State Right to Know Act</u> Chemical Name	N,N,-Dimethylformamide
Massachusetts:	Listed
New Jersey:	Listed
Pennsylvania:	Listed
New York:	Listed
Rhode Island:	Listed
International Inventories	
Chemical Name	N,N,-Dimethylformamide
TSCAL:	Listed
DSL:	Listed
NDSL:	Not Listed
EINECS:	Listed
CHINA:	Listed
KECL:	Listed
JAPAN:	Listed
AICS:	Listed
EU Regulations	
Annex I Index#:	616-001-00-X
Classification:	Flammable liquids (Category 3), H226
	Acute toxicity, Inhalation (Category 4), H332
	Acute toxicity, Dermal (Category 4), H312
	Eye irritation (Category 2A), H319
	Reproductive toxicity (Category 1B), H360
	GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Regulation (EC) No 1272/2008
REACH (EU) 1907/2006	

This Product contains N,N-Dimethylformamide (conc. > 1%); CAS # 68-12-2, included in the Candidate List of Substances of Very High Concern (SVHC)

SDS-10293	Rev. Number: 4 Rev. Date: Oct 15, 2018
Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2A; Repr. 1B; H226, H312 + H332, H319, H360 90 - 100 %	Acute Tox. Acute toxicity Eye Irrit. Eye irritation Flam. Liq. Flammable liquids H226 Flammable liquid and vapor.
	H312 Harmful in contact with skin.
	H312 + H332 Harmful in contact with skin or if inhaled
	H319 Causes serious eye irritation.
	H332 Harmful if inhaled.
	H360 May damage fertility or the unborn child.
Hazard Statements:	H226 Flammable liquid and vapor.
	H312 + H332 Harmful in contact with skin or if inhaled
	H319 Causes serious eye irritation.
	H360 May damage fertility or the unborn child
Precautionary Statements:	P201 Obtain special instructions before use.
	P202 Do not handle until all safety precautions have been read and understood.
	P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
	P233 Keep container tightly closed.
	P240 Ground/bond container and receiving equipment.
	P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
	P242 Use only non-sparking tools.
	P243 Take precautionary measures against static discharge.
	P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
	P264 Wash skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P303 + P361 + P35 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P308 + P313 IF exposed or concerned: Get medical advice/ attention.
	P337 + P313 If eye irritation persists: Get medical advice/ attention.
	P363 Wash contaminated clothing before reuse.
	P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
	P403 + P235 Store in a well-ventilated place. Keep cool.
	P405 Store locked up.
	P50 Dispose of contents/ container to an approved waste disposal plant.

Rev. Number: 4 Rev.

#### Hazards not otherwise classified or not covered by GHS: Rapidly absorbed through skin.



#### **16. OTHER INFORMATION**

The above information is believed to be accurate, complete and current but does not purport to be all inclusive and shall be used as a guide. SeraCare Life Sciences makes no representation or warranties with respect to the product described herein, including but not limited to any implied warranties or merchantability or fitness for a particular use. SeraCare assumes no liability or responsibility and authorizes no other person to assume any additional liability or responsibility as a result of the use of this product or the information contained in the Safety Data Sheet.