

Safety Data Sheet

HPV Positive Control

SDS-OEM-IDX-POS Rev. Date: Dec 4, 2015 Rev. Number: 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Description: Product Code HPV Positive Control 1200-0028

Hazardous Reagent Hazardous Reagent Product code

Product Description listed above Catalog No. listed above

Recommended

Use:

Reagent

SeraCare Life Sciences Contact

Manufacturer:

37 Birch Street Milford, MA 01757 Phone #: (508) 244-6400

US Toll Free: (800) 676-1881

Fax #: (508) 634-3394

Web: www.seracare.com

Email: customerservice@seracare.com

Emergency Telephone Numbers:

AUSTRALIA - POISONS INFORMATION

CENTER

CANADIAN TRANSPORT EMERGENCY

CENTER

UK - THE NATIONAL FOCUS

USA - NATIONAL RESPONSE CENTER

Telephone: 13 11 26 - Hours: 24 hours

(1) 613 996 6666 - Hours: 24 hours/day, 7 days/week

(1) 800 424 8802 - Hours: 24 hours/day, 7 days/week

Telephone: (44) 029 2041 6388 - Hours: 09:00-17:00 GMT

CHEMTREC: CHEMTREC Customer Number: - CCN12505*

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 CCN12505 or

+1 703-527-3887 (collect calls accepted)

Telephone:

Telephone:

2. HAZARD IDENTIFICATION

Hazard Type Health, Fire and Environmental Hazard. This product contains the following Proposition 65

chemicals: Methanol Type of Toxicity: developmental CAS No. 67-56-1 Date Listed:

March 16, 2012

Page 2 of 7

SDS-OEM-IDX-POS Rev. Number: 1 Rev. Date: Dec 4, 2015

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

GHS Classification Flammable liquids, Category 2; H225

Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311 Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

Hazard Statements: H331: Toxic if inhaled.

H311: Toxic in contact with skin

H301: Toxic if swallowed

Precautionary Statements: P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284: Wear respiratory protection.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P261 Avoid breathing mist/vapours/ spray.

Symbols and Indications of

Danger:

Dgr: Danger



Principle Route of Exposure:

Acute Effects: Eye In case of contact, immediately flush eyes with a large amount of water for at least 15

minutes while holding the eyelids open to assure that the entire surface is flushed. Seek

medical attention.

Acute Effects: Skin: Remove contaminated clothing and shoes. In case of contact, immediately wash the

contact area thoroughly with soap and a large amount of water. Seek medical attention.

Acute Effects: Inhalation: Remove patient to fresh air. If symptoms of intoxication or vision problems are apparent,

seek immediate medical attention.

Acute Effects: Ingestion: Harmful if swallowed. Remove patient to fresh air. If symptoms of intoxication or vision

problems are apparent, seek immediate medical attention.

Chronic Effects: Methanol is a flammable liquid. Inhalation of vapors may cause non-specific discomfort

(nausea, weakness), drowsiness with anesthetic effects and possible blindness. Swallowing as little as 4 ounces (118 mL) may cause blindness and in extreme cases

death. Target organs are the liver, kidney, and central nervous system.

Additional Information: The product contains no substances which at their given concentration, are considered to

be hazardous to health.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u>	<u>CHEMICAL</u>	<u>% Weight</u>	<u>CAS #:</u>
HPV PreservCyt	Methyl Alcohol	60%	67-56-1
	Water	40%	7782-13-5

GHS Classification: Flammable liquids, Category 2; H225

Acute toxicity, Category 3, inhalation; H331 Acute toxicity, Category 3, dermal; H311

Page 3 of 7

SDS-OEM-IDX-POS Rev. Date: Dec 4, 2015 Rev. Number: 1

Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

4. FIRST AID MEASURES

General Advice: Wash contaminated clothing before reuse. Consult a physician if irritation persists.

Oral Exposure: Avoid swallowing the material. Do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious or convulsing person. If conscious,

rinse mouth with water. Seek medical attention.

Inhalation Exposure: Remove patient to fresh air. If symptoms of intoxication or vision problems are apparent, seek

immediate medical attention.

Skin Exposure: Remove contaminated clothing and shoes. In case of contact, immediately wash the contact area

thoroughly with soap and a large amount of water. Seek medical attention.

Eye Exposure: In case of contact, immediately flush eyes with a large amount of water for at least 15 minutes

while holding the eyelids open to assure that the entire surface is flushed. Seek medical attention.

5. FIRE FIGHTING MEASURES

Extinguishing media: Use dry chemical, alcohol-resistant foam or carbon dioxide for the surrounding fire.

Unusual Fire and Explosive

Hazards:

May emit toxic and/or explosive vapors under fire conditions.

Flash Point: 80 °F (26.5 °C) **Auto ignition Temperature:** 725 °F (385 °C)

Flammability Statement: This product is flammable (flammable limits LEL=6.7 and UEL=36)

Specific hazards arising

from the chemical:

Hazardous combustion products may include carbon monoxide, formaldehyde, and carbon

dioxide.

Protective equipment and precautions for firefighters: Wear self-contained breathing apparatus and protective clothing to prevent exposure to

eyes and skin. Flame invisible in daylight.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Data for 100% Methyl Alcohol (67-56-1): Precautionary Statement - P-phrases:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P309+P310: IF exposed or if you feel unwell: Immediately call a POISON CENTER or

doctor/physician. (Unofficial P-phrase combination)

Environmental Precautions: Data for 100% Methyl Alcohol (67-56-1): Endangerment of drinking water and environment:

Maybe a hazard to drinking water sources when very large quantities get into groundwater.

Inform the responsible authorities

Method of Containment: Collect leaking and spilled liquid in sealable containers as far as possible.

Methods of Clean-up: Clean up of spills requires no special equipment or procedures. Clean with copious

amounts of water.

Other Information: Not Applicable

7. HANDLING AND STORAGE

Handling: Wear appropriate PPE. See section 8.

Storage: Store as labeled and away from excessive heat and sources of ignition. Page 4 of 7

SDS-OEM-IDX-POS Rev. Date: Dec 4, 2015 Rev. Number: 1

8. EXPOSURE CONTROL

Respiratory Protection: Ventilation, local exhaust, or breathing protection.

Eye Protection: Safety goggles. Safety spectacles. **Skin Protection:** Protective gloves. Protective clothing. Ingestion: Do not eat, drink, or smoke during work.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Slightly cloudy colorless liquid with alcohol type odor.

Physical State: Liquid

Odor: Not Available **Odor Threshold:** Not Available pH: Not Available 148 °F/64 °C **Boiling Point:**

Evaporation Rate: >1 Vapor Density: ~1.1

Vapor Pressure: 127 mm Hg **Relative Density:** Not Available **Auto-Ignition Temperature:** Not Available Water Solubility: Dilutable Flammability: Flammable Flash Point: 80 °F (26.5 °C) Viscosity: Not Available **Oxidizing Properties:** Not Available **Explosive Properties:** Not Available

Additional Parameters: See Datasheet/Product Insert for other Product Information.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions.

Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and Conditions to avoid: explosion hazard. The vapor mixes well with air, explosive mixtures are easily formed.

Incompatibility Materials to

Avoid:

Strong oxidizing agents and reducing agents

Hazardous Decomposition

Products:

Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization: Will not occur

Possibility of hazardous

reactions:

Data for 100% Methyl Alcohol: Reacts violently with oxidants. This generates fire and explosion hazard. The vapor mixes well with air, explosive mixtures are easily formed.

11. TOXICOLOGY MEASURES

Acute Toxicity

The following toxicological information is for the hazardous ingredient in pure form.

LD50 Oral: Data for 100% Methyl Alcohol: LD50 oral rat: 5630 mg/kg

Reference: Gigiena Truda i Professional'nye Zabolevaniya, Labor Hygiene and

Occupational Diseases. Vol. 19(11), Pg. 27, 1975. Acutely Toxic

Data for 100% Methyl Alcohol: LD50 dermal Rabbit: 15800 mg/kg

LD50 Dermal: Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74,

1974. Acutely Toxic

SDS-OEM-IDX-POS Rev. Date: Dec 4, 2015 Rev. Number: 1

Data for 100% Methyl Alcohol: LC50 inhalation rat: 83,9 mg/l/4 h

LC50 Inhalation: Reference: Raw Material Data Handbook, Vol.1: Organic Solvents, 1974. Vol. 1, Pg. 74,

1974. Acutely Toxic

Chronic Toxicity

Carcinogenicity: Not Available

Data for 100% Methyl Alcohol: Main toxic effects:

Irritation to the eyes, CNS depression, systemic damage to the eyes Irritation:

Chronic:

Neurological symptoms, irritation to the nasal mucous membranes through exposure to

higher vapor concentrations, damage to the skin due to repeated contact.

Corrosivity: Not Available Sensitization: Not Available **Neurological Effects:** Not Available **Mutagenic Effects:** Not Available Not Available **Reproductive Effects:**

This product contains the following Proposition 65 chemicals: Methanol Type of Toxicity: **Developmental Effects:**

developmental CAS No. 67-56-1 Date Listed: March 16, 2012

Data for 100% Methyl Alcohol: Eyes, skin, respiratory system, central nervous system, **Target Organ Effects:**

gastrointestinal tract

Other adverse effects: Data for 100% Methyl Alcohol: Effects of short-term exposure

> The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. This may result in loss of consciousness. Exposure could cause blindness and death. The effects may be delayed. Medical

observation is indicated.

Effects of long-term or repeated exposure

Repeated or prolonged contact with skin may cause dermatitis. The substance may have

effects on the central nervous system. This may result in persistent or recurring

headaches and impaired vision.

12. ECOLOGICAL MEASURES

Ecotoxicity: Data for 100% Methyl Alcohol: Acute Toxicity to Fish - LC50 Fish (96 hours)

> Minimum: 15000 mg/l Maximum: 29400 mg/l Median: 24000 mg/l Study number: 8

Reference: Poirier, S.H., M.L. Knuth, C.D. Anderson-Buchou, L.T. Brooke, A.R. Lima, and P.J. Shubat 1986. Comparative Toxicity of Methanol and N.N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull.Environ.Contam.Toxicol. 37(4):615-621; Bengtsson, B.E., L. Renberg, and M. Tarkpea 1984. Molecular Structure and Aquatic Toxicity – an Example with C1-C13 Aliphatic Alcohols. Chemosphere 13(5/6):613-622

Persistence/Degradability: Not Available **Mobility in Environmental**

Media:

Not Available

Bioaccumulation/ Accumulation:

Not Available

Page 6 of 7

SDS-OEM-IDX-POS Rev. Number: 1 Rev. Date: Dec 4, 2015

13. DISPOSAL MEASURES

Waste Disposal Method: Treatment, storage and transportation must comply with all Federal, State, and Local laws

concerning health and pollution.

Contaminated Packaging: Avoid contact with skin and clothing. Place contaminated packaging in a break proof outer

vessel and dispose on in compliance with national and local regulations.

US EPA Waste Number: Not Available

14. TRANSPORTATION MEASURES

DOT: UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted

quantity label

IATA: UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted

quantity label

ADR (road)/ RID (rail): UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted

quantity label

IMDG (sea): UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted

quantity label

General Transport

UN1992; Flammable Liquids, Toxic, n.o.s (methanol solution), 3(6.1), E1, Excepted

Regulations quantity label

15. REGULATORY MEASURES

This product is a mixture that may contain one or more hazardous chemicals. The hazardous ingredients listed are only those as required by 29 CFR 1910.1200 (OSHA HCS).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains no chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (See 40 CFR 61)

Not Listed

State Regulations

California Proposition 65:

This product contains the following Methanol Type of Toxicity: developmental CAS No. 67-56-1

Proposition 65 chemicals: Date Listed: March 16, 2012

State Right to Know Act

Chemical Name Methyl Alcohol

Massachusetts:ListedNew Jersey:ListedPennsylvania:ListedNew York:ListedRhode Island:Listed

International Inventories

Chemical Name Methyl Alcohol

TSCA: Listed

SDS-OEM-IDX-POS Rev. Number: 1 Rev. Date: Dec 4, 2015

DSL: Listed

NDSL: Not Listed

EINECS: Listed

CHINA: Listed

KECL: Listed

JAPAN: Listed

AICS: Listed

EU Regulations

Annex I Index#: Data for 100% Methyl Alcohol:

Annex I Index# : 603-001-00-X

Classification: Flammable liquids, Category 2; H225

Acute toxicity, Category 3, inhalation; H331
Acute toxicity, Category 3, dermal; H311
Acute toxicity, Category 3, oral; H301

Specific Target Organ Toxicity (single exposure), Category 2; H371

Hazard Statements: H331: Toxic if inhaled.

H311: Toxic in contact with skin.

H301: Toxic if swallowed.

Precautionary Statements: P280: Wear protective gloves/ protective clothing/ eye protection.

P284: Wear respiratory protection.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P261 Avoid breathing mist/vapors/ spray.

Symbols and Indications of

Danger:

Dgr: Danger

Specific Concentration Limits: STOT SE 1; H370: C >= 10 %

STOT SE 2; H371: 3 % <= C < 10 %

16. OTHER INFORMATION

The above information is believed to be accurate, complete and current but does not purport to be all inclusive and shall be used as a guide. SeraCare Life Sciences makes no representation or warranties with respect to the product described herein, including but not limited to any implied warranties or merchantability or fitness for a particular use. SeraCare assumes no liability or responsibility and authorizes no other person to assume any additional liability or responsibility as a result of the use of this product or the information contained in the Material Safety Data Sheet.